



et le fluide passe!





MANOMÈTRE BOÎTIER INOX À BAIN GLYCÉRINE RACCORDEMENT D 63 : 1/4" RACCORDEMENT D 100 : 1/2"
A - AXIAL / R - RADIAL



| Graduation en Bars | D 63 R | Euro | D 63 A | Euro | D 100 R | Euro | D 100 A | Euro |
|--------------------|---------|------|---------|------|---------|------|---------|------|
| | N/Réf. | | N/Réf. | | N/Réf. | | N/Réf. | |
| 0 à 1 | 4320209 | | 4324205 | | 4321405 | | 4326405 | |
| 0 à 1,6 | 4320210 | | 4324210 | | 4321410 | | 4326410 | |
| 0 à 2,5 | 4320215 | | 4324215 | | 4321415 | | 4326415 | |
| 0 à 4 | 4320220 | | 4324220 | | 4321420 | | 4326420 | |
| 0 à 6 | 4320225 | | 4324225 | | 4321425 | | 4326425 | |
| 0 à 10 | 4320230 | | 4324230 | | 4321430 | | 4326430 | |
| 0 à 16 | 4320235 | | 4324235 | | 4321435 | | 4326435 | |
| 0 à 25 | 4320240 | | 4324240 | | 4321440 | | 4326440 | |
| 0 à 40 | 4320245 | | 4324245 | | 4321445 | | 4326445 | |
| 0 à 60 | 4320250 | | 4324250 | | 4321450 | | 4326450 | |
| 0 à 100 | 4320255 | | 4324255 | | 4321455 | | 4326455 | |
| 0 à 160 | 4320260 | | 4324260 | | 4321460 | | 4326460 | |

MANOMÈTRE BOÎTIER ABS SEC RACCORDEMENT D 50 ET 63 : 1/4"
A - AXIAL / R - RADIAL



| Graduation en Bars | D 50 R | Euro | D 50 A | Euro | D 63 R | Euro | D 63 A | Euro |
|--------------------|---------|------|---------|------|---------|------|---------|------|
| | N/Réf. | | N/Réf. | | N/Réf. | | N/Réf. | |
| 0 à 1 | 4304405 | | 4311005 | | 4304505 | | 4311105 | |
| 0 à 2,5 | 4304420 | | 4311015 | | 4304515 | | 4311110 | |
| 0 à 4 | 4304430 | | 4311020 | | 4304520 | | 4311115 | |
| 0 à 6 | 4304435 | | 4311025 | | 4304525 | | 4311120 | |
| 0 à 10 | 4304440 | | 4311030 | | 4304530 | | 4311125 | |
| 0 à 16 | 4304445 | | 4311035 | | 4304535 | | 4311130 | |
| 0 à 25 | 4304450 | | 4311040 | | 4304540 | | 4311135 | |
| 0 à 40 | 4304455 | | 4311045 | | 4304545 | | 4311140 | |

COMPTEUR DIVISIONNAIRE TURBINE À JET UNIQUE ENTRAÎNEMENT MAGNÉTIQUE POSITION HORIZONTALE
CLASSE B, P°MS : 16 BARS



| Calibre | Raccordement | Eau Froide (+ 30°C Maxi) | | Eau Chaude (+ 90°C Maxi) | |
|---------|--------------|-------------------------------|------|-------------------------------|------|
| | | Ø/Réf. | Euro | Ø/Réf. | Euro |
| DN 15 | 3/4" | 4114210 | | 4114225 | |
| DN 20 | 1" | 4114220 | | 4114230 | |

COMPTEUR 1ÈRE PRISE * À JETS MULTIPLES
CADRAN NOYÉ POSITION HORIZONTALE
CLASSE B, P°MS : 16 BARS



| Calibre | Raccordement | Eau Froide (+ 30°C Maxi) | |
|--|--------------|-------------------------------|--------|
| | | Ø/Réf. | Euro * |
| DN 15 | 3/4" | 4114262 | |
| DN 20 | 1" | 4114263 | |
| DN 25 | 1" 1/4 | 4114264 | |
| DN 32 | 1" 1/2 | 4114265 | |
| DN 40 | 2" | 4114266 | |
| DN 50 | 2" 1/2 | 4114267 | |
| Emet. d'impulsion 1L-10L-100L-1000L | | 4114268 | |

COMPTEUR GROS CALIBRE * TYPE À HÉLICE AXIALE, CADRAN SEC TOUTES POSITIONS
CLASSE B, P°MS : 16 BARS



| Calibre | Eau Froide (+ 30°C Maxi) | | Eau Chaude (+ 90°C Maxi) | |
|---------|-------------------------------|------|-------------------------------|--------|
| | Ø/Réf. | Euro | Ø/Réf. | Euro * |
| DN 50 | 4114270 | | 4114370 | |
| DN 65 | 4114275 | | 4114375 | |
| DN 80 | 4114280 | | 4114380 | |
| DN 100 | 4114285 | | 4114385 | |
| DN 150 | 4114290 | | | |
| DN 200 | 4114295 | | 4114390 | |

* Taxe SIM en sus



THERMOMÈTRE VERTICAL INDUSTRIEL
DROIT (EQUERRE SUR DEMANDE)
LG 150 mm, RACCORDEMENT 1/2"



| Graduation en °C | Plonge Lg 63mm | Euro | Plonge Lg 100mm | Euro |
|------------------|----------------|------|-----------------|------|
| | ∅/Réf. | | ∅/Réf. | |
| -30° à +50° | 4340010 | | 4340032 | |
| -10° à +50° | 4340012 | | 4340035 | |
| 0 + 120° | 4340015 | | 4340040 | |
| 0 + 160° | 4340020 | | 4340045 | |


ROBINET
PORTE-MANOMÈTRE
À DÉCOMPRESSION M/F



| Diamètre | ∅/Réf. | Euro |
|----------|---------|------|
| 1/4" | 4146523 | |
| 3/8" | 4146524 | |
| 1/2" | 4146525 | |



APRO
Ouest



APRO OUEST

ZA Les Relandières - 44850 LE CELLIER

Tél. 02 51 13 00 25 - Fax. 02 51 13 00 26

contact@apro-ouest.com - www.apro-ouest.com

